

SIDA CONTRIBUTIONS TO BOTANY

INDEX TO VOLUME 9

Names of contributing authors are in CAPITAL letters. New names and combinations are in **boldface**.

- Acacia hirta* 317
Acalypha monococca 48; *ostriifolia* 319;
 setosa 73
Achillea millefolium 52
Acnida cuspidata 46
Additions to the flora of Tennessee by
 David H. Webb and W. Michael
 Dennis 184–185
Aesculus pavia 49
Agalinis fasciculata 322
AJILVSGI, GEYATA, see Lipscomb
 370–374
Alchemilla microcarpa 28
ALLEN, CHARLES M. and KARL A.
 VINCENT, *Psilocarya scirpoides* Torr.
 (Cyperaceae) and *Physalis missouri-*
 ensis Mackenz. & Bush (Solanaceae)
 new to Louisiana 367–368
Allium elmendorffii 315; *runyonii* 315
Alopecurus carolinianus 310
Amaranthus scleropoides 46
Amorpha fruticosa 312
Amsonia illustris 321
A name for a well-known Mexican spe-
 cies of *Iresine* (Amaranthaceae) by
 Guy L. Nesom 327–329
Anemone caroliniana 316
A new description and new records for
 Ipomoea sepacuitensis (Convolvu-
 laceae) by James S. Pringle 92–93
A new form of *Bignonia capreolata*
 from West Tennessee by T. Heineke
 263–264
A new location for *Portulaca amilis*
 (Portulacaceae) in the United States
 by Bradley C. Bennett 267–268
A new species and new combination of
 Mexican *Erigeron* (Compositae) by
 Guy Nesom 29–33
A new species of *Polimintha* (Lamiaceae)
 from the Chihuahuan Desert region
 by James Henrickson 290–292
A new three-awn grass from Trans-
 Pecos, Texas by Barton H. Warnock
 358–359
Antigonon leptopus 46
Aphanostephus kidderi 323
Arabis petiolaris 47
Aralia spinosa 330
Argemone albiflora 46
Argythamnia argyraea 176; *simulans* 48
Arisaema dracontium 44
Aristida brownii 358; *roemeriana* 25
Aristolochia serpentaria 94
Artemisia glauca 323
Arthraxon castratus (Poaceae: Andro-
 pogoneae) new to the New World by
 Stephen L. Hatch 266–267
Asclepias asperula 50; *tuberosa* 50;
 viridifolia 321
Ascyrum hypericoides 320
Asemeia 1
Aspicarpa hyssopifolia 318
Aster laevis (Asteraceae) new for Texas
 —a significant range extension and a
 new variety by Almut G. Jones 172–
 175
Aster laevis L. var. **guadalupensis** 173;
 patens 323; *texanus* 52
Astragalus distortus 47
Axonopus affinis 310
BACON, JOHN D., New species of
 Nama (Hydrophyllaceae) from the
 Chihuahuan Desert region of Mexico
 99–103
BASKIN, JERRY M. and CAROL C.
 BASKIN, *Dalea candida* Michaux ex
 Willdenow (Fabaceae) new to the
 Ridge and Valley Physiographic Prov-
 ince 364–366
Bellardia trixago 370
Bellardia trixago (L.) All. (Scrophu-
 lariaceae) adventive in Texas by
 Barney L. Lipscomb and Geyata
 Ajilvsgi 370–374
BENNETT, BRADLEY C., A new loca-
 tion for *Portulaca amilis* (Portu-

- lacaceae) in the United States 267–268
- Bernardia myriciifolia* 319
- Berteroa incana* 57
- Bidens bipinnata* 313
- Bignonia capreolata* 51, 263
- Billieturnera** 195; *helleri* 197
- Billieturnera* (Malvaceae), A new genus from Texas and Mexico by Paul A. Fryxell 195–200
- Boehmeria nivea* 312
- BOOM, BRIAN M., see Lott 264–265
- Bouteloua hirsuta* 355
- Bradburn, Anne S., see Darwin 70–75
- Briza minor* 310
- Bromus secalinus* 310
- Buchnera floridana* 322
- Buglossoides arvensis* 50
- Bulbostylis ciliatifolia* var. *coarctata* 311; *juncoides* 311
- BURKHALTER, JAMES R., *Tillandsia recurvata* (Bromeliaceae) in Pensacola, Florida—a botanical curiosity 369–370
- Caesalpinia drummondii* 317
- Calliandra biflora* 47, 79; *conferta* 317
- Callicarpa americana* 321
- Callitriche nuttallii* 48
- Camelina sativa* 27
- Canna orchioides* 312
- Caperonia palustris* 312
- Cardamine hirsuta* 27
- Cardaria draba* 57
- Carex albursina* 26; *austrina* 56; *hitchockiana* 26; *leptalea* 56; *lupuliformis* 56; *muhlenbergii* 44; *planostachys* 314; *triangularis* 56; *vesicaria* 56
- Carya leiodermis* 45
- Cassia bauhinioides* 317; *occidentalis* 317
- CASTANER, DAVID, *Galium divaricatum* (Rubiaceae), new to Missouri 368–369
- Catalpa speciosa* 51
- Catharanthus roseus* 313
- Cayratia japonica* 73
- Ceanothus herbaceus* 49
- Centaurea melitensis* 52
- Cerastium glomeratum* 46
- Ceratophyllum demersum* 46
- Chaetopappa bellidifolia* 52
- Chenopodium glaucum* 27
- CHESTER, EDWARD W., Some new distributional records for *Lesquerella lescurii* (Gray) Watson (Brassicaceae), including the first report for Kentucky, 235–237
- CHIANG, FERNANDO, see Lott 264–265
- Chloris submutica* 368; *verticillata* 55
- Chloris submutica* (Poaceae) in Texas by Richard D. Worthington 368
- Chrysogonum virginianum* 58
- Citrus sinensis* 48
- Cleome viscosa* 187
- Cleome viscosa* L. (Capparidaceae) new to Louisiana by W. C. Holmes 187
- Clitoria* 293, 344
- Clitoria cavalcantei* 201; *flexuosa* 298; *flexuosa* var. **brevibracteola** 301; *flexuosa* var. *flexuosa* 299; *javitensis* 162; *javitensis* var. **grandifolia** 170; *javitensis* var. *javitensis* 168; *javitensis* var. *javitensis* f. **bracteosubtenda** 169; *javitensis* var. **longiloba** 170; *javitensis* var. *portobellensis* 169; *javitensis* var. *portobellensis* f. **pilosa** 169; *javitensis* var. *portobellensis* f. *portobellensis* 169; *javitensis* var. *portobellensis* f. **truncata** 169; **kaieteurensis** 344; **magentea** 296; **pendens** 347; **plumosa** 205; *sagotii* 350; *sagotii* var. **canaliculata** 351; *sagotii* var. *sagotii* 351; *sagotii* var. **sprucei** 353; **tunuhiensis** 204; **woytkowski** 293
- Commelina erecta* var. *erecta* 312
- Corchorus aestuans* 73
- Coursetia axillaris* 317
- CRANFILL, RAY, Thirty additions to the vascular flora of Kentucky 55–58
- Crepis japonica* 58
- Cressa depressa* 321
- Croptilon divaricatum* 60; *divaricatum* var. *hookerianum* 323; *hookerianum* 60; *hookerianum* var. **graniticum** 61; *hookerianum* var. **validum** 61; **rigidfolium** 60
- Croton argyranthemus* 319; *lindheimerianus* 72
- CRUDEN, ROBERT W., New *Echeandia* (Liliaceae) from Mexico 139–146
- Cucurbita texana* 323

- Cuscuta glabrior* 321; *indecora* 321; *obtusiflora* 50
- CUSICK, ALLISON W., *Puccinellia distans* (Jacq.) Parl. (Poaceae): a halophytic grass rapidly spreading in Ohio 360–363
- Cynoctonum mitreola* 50
- Cyperus brevifolioides* 188; *difformis* 184; *iria* 44; *oxylepis* 314; *sesquiflorus* 44; *strigosus* 44
- Dalea aurea* 317; *candida* 364; *enneandra* 47
- Dalea candida* Michaux ex Willdenow (Fabaceae) new to the Ridge and Valley Physiographic Province by Jerry M. Baskin and Carol C. Baskin 364–366
- DARWIN, STEVEN P., Noteworthy vascular plants from Louisiana 70–75
- Demaree, Delzie—A tribute 269
- DENNIS, W. MICHAEL, Ecological notes on *Jamesianthus alabamensis* Blake and Sherff (Asteraceae) and an hypothesis on its endemism 210–214
- DENNIS, W. MICHAEL and DAVID H. WEBB, The distribution of *Pilularia americana* A. Br. (Marsileaceae) in North America, North of Mexico 19–34
- Desmanthus acuminatus* 47; *illinoensis* 317; *velutinus* 47
- Desmodium canum* 47
- Dicerandra cornutissima* 259; *densiflora* 247; *frutescens* 256; *immaculata* 253; *linearifolia* 244; *odoratissima* 247
- Didiplis diandra* 182
- Didiplis diandra* (Lythraceae) in southeastern Mexico by Alejandro Novelo Retana 182
- Digitaria milanjana* 333; *villosa* 310
- Distributional and nomenclatural notes on the flora of the Texas Coastal Bend by Steven R. Hill 309–326
- Distribution and naturalization of *Cyperus brevifolioides* (Cyperaceae) in eastern United States by David H. Webb and W. Michael Dennis 188–190
- Distribution of *Pilularia americana* A. Br. (Marsileaceae) in North America, north of Mexico, by W. Michael Dennis and David H. Webb 19–24
- Distribution of *Schoenolirion wrightii* (Liliaceae) and *Bartonia texana* (Gentianaceae), by E. S. Nixon and J. R. Ward 64–69
- Distributional records for *Nymphaea lotus* (Nymphaeaceae) in the Western Hemisphere by John H. Wiersema 230–234
- Draba cuneifolia* 316
- Dracopis amplexicaulis* 323
- Drosera annua* 316
- Dr. Demaree and the Palmer *Dryopteris* by W. Carl Taylor 287–289
- Dryopteris* × *Triploidea* 55
- Echeandia durangensis* 146; **flavescens** 146; **gracilis** 139; **longipedicellata** 143; **mexicana** 141; **nana** 146, 268; **scabrella** 146
- Echinochloa walteri* 310
- Echinodorus parvulus* 313
- Ecological notes on *Jamesianthus alabamensis* Blake and Sherff (Asteraceae) and an hypothesis on its endemism by W. Michael Dennis 210–214
- Elaeagnus umbellata* 57
- Eleocharis tortilis* 184
- Equisetum hiemale* var. *affine* 313
- Eragrostis hirsuta* 311; *refracta* 26; *trichoides* 311
- Erigeron coronarius* 225; *delphinifolius* 226; *forreri* 226; *fraternus* 226; *galeottii* 227; *gilensis* 228; *griseus* 224; *guatemalensis* 224; *janivultus* 223; **lepidopodus** 31; *mimus* 224; *myrionactis* 324; *narcissus* 224; *oreophilus* 228; *philadelphicus* 324; *polycephalus* 224; *seemannii* 228; *strigulosus* 228; *subcaulis* 225; *tenuis* 324; **tephropodus** 29; *versicolor* 225; *wislizeni* 225, 229
- Eriogonum longifolium* 315
- Eupatorium glaucescens* 324
- Euphorbia cordifolia* 319; *corollata* 319; *falcata* 57
- EWAN, JOSEPH—Book Review of: A journal of travels into the Arkansas Territory during the year 1819 by Thomas Nuttall 96–97
- EWAN, JOSEPH—Book Review of: Journey to Mexico during the years 1826 to 1834 by Jean Louis Berlandier 375–381
- FAGERBERG, WAYNE R.—Book Re-

- view of: The way of herbs: simple remedies for health and healing by Michael Tierra 192-194
- FANTZ, PAUL R., New species of *Clitoria* subgenus *Bractearia* section *Cauliflorae* from northern South America 344-354
- FANTZ, PAUL R., New species of *Clitoria* subgenus *Bractearia* section *Cauliflorae* (Leguminosae) from Columbia and Brazil 201-209
- FANTZ, PAUL R., New species of *Clitoria* subgenus *Bractearia* section *Flexuosae* from Peru and Colombia 293-301
- FANTZ, PAUL R., Taxonomic notes on new taxa of *Clitoria javitensis* (Leguminosae) and the exclusion of var. *glabra* Sagot 159-171
- Fatoua villosa 27, 70
- Ficus carica 45
- Field studies on Texas endemics by Wm. F. Mahler 176-181
- Fimbristylis annua 44; decipens 312; miliacea 312; vahlii 44
- First report of *Portulaca amilis* (Portulacaceae) in the United States by Walter S. Judd and Richard P. Wunderlin 135-138
- Forestiera acuminata 321
- Forelichia gracilis 315
- FRYXELL, PAUL A., **Billieturnera** (Malvaceae), a new genus from Texas and Mexico 195-200
- Fuirena breviseta 312; longa 312; simplex 314
- Galactia heterophylla 317
- Galium divaricatum 368; proliferum 52; texense 322
- Galium divaricatum* (Rubiaceae), new to Missouri by David Castaner 368-369
- Gaura drummondii 191; odorata 191
- Gleditsia triacanthos 47
- Glinus radiatus 316
- Glyceria declinata* in Louisiana by John K. Saichuk 263
- Gossypium hirsutum 312
- Grindelia oolepis 79, 324; squarrosa 52
- Gymnopogon brevifolius 26
- Gymnosperma glutinosum 324
- Habranthus texanus 315
- HALL, DAVID W., *Sorghastrum* (Poaceae) in Florida 302-308
- HATCH, STEPHAN L., see Webster & Hatch 34-42; see Webster 87-88
- HATCH, STEPHAN L., *Arthraxon castratus* (Poaceae: Andropogoneae) new to the New World 266-267
- Hedeoma reverchonii var. serphyllifolium 313
- Hedyotis boscii 323; croftiae 323
- HEINEKE, T., A new form of *Bignonia capreolata* from west Tennessee 263-264
- Helianthemum bicknellii 57; rosmarinifolium 320
- Helianthus grosse-serratus 52
- Heliotropium indicum 321; tenellum 321
- HENRICKSON, JAMES, A new species of *Poliomintha* (Lamiaceae) from the Chihuahuan Desert region 290-292
- Heterotheca pilosa 324
- Hibiscus moscheutos 28, 49
- HILL, STEVEN R., Distributional and nomenclatural notes on the flora of the Texas Coastal Bend 309-326
- HILL, STEVEN R., Supplement to the flora of the Texas Coastal Bend by F. B. Jones 43-54
- HILL, STEVEN R., Vegetative apomixis ('Vivipary') in *Bouteloua hirsuta* Lag. (Poaceae) 355-357
- HOLMES, W. C., *Cleome viscosa* L. (Capparidaceae)—new to Louisiana 187
- HOLMES, W. C., *Mikania* (Compositae) of the United States 147-158
- HORN, DENNIS D., *Neviusia alabamensis* (Rosaceae) in Tennessee 90-91
- Hydrocotyle umbellata 185, 320; verticillata 50
- Hydrolea ovata 50
- Hymenocallis caroliniana 26
- Hymenoxys scaposa 324
- Hypericum drummondii 320; gentianoides 320
- Hypoxis longii 26
- Ilex vomitoria 319
- Ipomoea × leucantha 74; pandurata 50
- Iresine 327; **orientalis** 327
- Isoetes butleri 25

- Isoetes butleri* (Isoetaceae) in Texas by Emily J. Lott, Brian M. Boom, Fernando Chiang 264–265
- Jatropha cathartica* 319
- JONES, ALMUT G., *Aster laevis* (Asteraceae) new for Texas—a significant range extension and a new variety 172–175
- JUDD, WALTER S., First report of *Portulaca amilis* (Portulacaceae) in the United States 135–138
- Juncus acuminatus* 314; *gerardii* 56; *interior* 315; *validus* 315
- Juniperus virginiana* 310
- Juvenile and adult leaflet phases in *Aralia spinosa* (Araliaceae) by Edwin B. Smith 330–332
- Kallstroemia parviflora* 48
- KRAL, ROBERT, Notes on some “quill”-leaved Umbellifers 124–134
- KRAL, ROBERT, Some notes on *Dicerandra* (Lamiaceae) 238–262
- Krigia oppositifolia* 324
- Lactuca ludoviciana* 52
- Lagerstroemia indica* 49
- Lantana camara* 51; *montevidensis* 51
- Lathyrus pusillus* 317
- Leavenworthia aurea* 83
- Lemma trinervis* 45
- Lepidium perfoliatum* 57; *ruderales* 47
- Lepuropetalon spathulatum* 316
- Lesquerella grandiflora* 316
- Leucospora multifida* 322
- Liatris acidota* 324
- Ligustrum japonicum* 50; *lucidum* 50
- Limnoscium pinnatum* 50
- Linaria canadensis* 58
- Lindernia antipoda* 185
- Lindernia antipoda* (L.) Alston and *Veronica cymbalaria* Bod. (Scrophulariaceae): new to North America; *V. hederifolia* L.: new to Louisiana by Karl A. Vincent 185–187
- LIPSCOMB, BARNEY L. and GEYATA AJILVSGI, *Bellardia trixago* (L.) All. (Scrophulariaceae) adventive in Texas 370–374
- Lithospermum multiflorum* 28
- Lonicera japonica* 323
- LOTT, EMILY J., BRIAN M. BOOM and FERNANDO CHIANG, *Isoetes butleri* (Isoetaceae) in Texas 264–265
- Ludwigia octovalvis* 320
- Lunaria annua* 57
- Machaeranthera aurea* 83; *tenuis* 325
- Maclura pomifera* 45
- MAHLER, WM. F. and BARNEY LIPSCOMB—Book Review of: A synonymized checklist of the vascular flora of the United States, Canada, and Greenland by J. T. Kartez and R. Kartez 191–192
- MAHLER, WM. F., Field studies on Texas endemics 176–181
- MAHLER, WM. F., Notes on rare Texas and Oklahoma plants 76–86
- Mammillaria longimamma* 320
- Marsilea mexicana* 313
- Matelea gonocarpa* 321
- Medicago lupulina* 318; *orbicularis* 318
- Melica nitens* 311
- Melilotus indica* 28
- Micromeria brownei* 322
- Mikania* 148; *batataefolia* 148; *cordifolia* 149; *scandens* 152
- Mikania* (Compositae) of the United States by W. C. Holmes 147–158
- Mirabilis gigantea* 27; *linearis* 316
- Monarda fruticulosa* 322
- MORDEN, CLIFFORD W. and STEPHAN L. HATCH, *Polypogon elongatus* H. B. K. (Poaceae) new in Texas 187–188
- Murdannia nudiflora* 70
- Myagrum perfoliatum* 47
- Myosotis macrosperma* 321
- Myriophyllum spicatum* 58
- Najas gracillima* 184; *marina* 55
- Najas minor* (Najadaceae) in Louisiana by Victoria I. Sullivan 88–89
- Nama constancei* 100; **hitchcockii** 99; **zedowskii** 102; *stenocarpum* 321; *stevensii* var. **gypsicola** 103; **turneri** 102
- NAUMAN, CLIFTON E., *Polygala grandiflora* (Polygalaceae) Walter Re-examined 1–18
- NECK, RAYMOND W., Noteworthy plant records from central and deep southern Texas 94–95
- NELSON, JOHN B., *Stachys* (Labiatae) in southeastern United States 104–123
- Nelumbo pentapetala* 316
- Nemastylis geminiflora* 45

- Nerium oleander* 50
- NESOM, GUY L., A name for a well-known Mexican species of *Iresine* (Amaranthaceae) 327–329
- NESOM, GUY L., A new species and new combination of Mexican *Erigeron* (Compositae) 29–33
- NESOM, GUY L., Nomenclatural changes and clarification in Mexican *Erigeron* (Asteraceae) 223–229
- Neviusia alabamensis* (Rosaceae) in Tennessee by Dennis D. Horn 90–91
- New combinations in *Croptilon* (Compositae-Astereae) by Edwin B. Smith 59–63
- New *Echeandia* (Liliaceae) from Mexico by Robert William Cruden 139–146
- New species of *Clitoria* subgenus *Bractearia* section *Cauliflorae* (Leguminosa) from Colombia and Brazil by Paul R. Fantz 201–209
- New species of *Clitoria* subgenus *Bractearia* section *Cauliflorae* from northern South America by Paul R. Fantz 344–354
- New species of *Clitoria* subgenus *Bractearia* section *Flexuosae* from Peru and Colombia by Paul R. Fantz 293–301
- New species of *Nama* (Hydrophyllaceae) from the Chihuahuan Desert region of Mexico by John D. Bacon 99–103
- NIXON, E. S., Distribution of *Schoenolirion wrightii* (Liliaceae) and *Bartonia texana* (Gentianaceae) 64–69
- Nomenclatural changes and clarifications in Mexican *Erigeron* (Asteraceae) by Guy Nesom 223–229
- Notes on rare Texas and Oklahoma plants by Wm. F. Mahler 76–86
- Notes on some "quill"-leaved Umbellifers by Robert Kral 124–134
- Noteworthy plant records from central and deep southern Texas by Raymond W. Neck 94–95
- Noteworthy vascular plants from Louisiana, by Stephen P. Darwin, Eric G. Sundell and Anne S. Bradburn 70–75
- Nymphaea meximana* 316
- Oenothera mexicana* 49
- OLWELL, MARGARET, a populational study of the exormorphic variations in *Vicia minutiflora* Dietr. including *V. reverchonii* Wats. (Leguminosae) 215–222
- Onosmodium bejariense* 51
- Oxypolis* 125; *canbyi* 126; *greenmanii* 126
- Palafoxia callosa* 74
- Panicum hirticaule* 26; *tenerum* 311
- Papaver somniferum* 57
- Paronychia setacea* 46
- Paspalum langei* 26; *notatum* 26
- Passiflora incarnata* 320; *suberosa* 49; *tenuiloba* 320
- Penstemon tenuis* 51
- Petalostemon microphyllum* 318; *pulcherrimum* 47
- Phalaris angusta* 311
- Phlox pilosa* L. var. **longipilosa** 183
- Phlox pilosa* L. var. *longipilosa* (Waterfall) J. & C. Taylor comb. nov. (Polemoneaceae) by R. John Taylor and Constance E. S. Taylor 183–184
- Phyla strigulosa* 321
- Phyllanthus fraternus* 72
- Physalis missouriensis* 367
- Picris hieracioides* 58
- Pilea microphylla* 71
- Pilularia americana* 19
- Pisonia aculeata* 95
- Pithecellobium flexicaule* 318
- Plants new to Arkansas, Oklahoma and Texas by R. John Taylor and Constance E. Taylor 25–28
- Pluchea odorata* 325
- Poliomintha* 290; **maderensis** 290
- Polygala alba* 319; *glandulosa* 319; *grandiflora* 1; var. *angustifolia* 15; ssp. **krugii** 17; *incarnata* 319; *polygama* 48; *verticillata* 319
- Polygala grandiflora* (Polygalaceae) Walter re-examined by Clifton E. Nauman 1–18
- Polygonella parksii* 76
- Polygonum texense* 79
- Polypodium polypodioides* 44
- Polypogon elongatus* 187
- Polypogon elongatus* H. B. K. (Poaceae) new in Texas by Clifford W. Morden and Stephan L. Hatch 187–188
- Pontederia cordata* 45
- Potamogeton pulcher* 55; *pusillus* 44
- PRINGLE, JAMES S., a new description and new records for *Ipomoea sepacui-*

- tensis* (Convolvulaceae) 92–93
Prunus *augustifolia* 312; *persica* 47; *texana* 317
Psilocarya scirpoides 367
Psilocarya scirpoides Torr. (Cyperaceae) and *Physalis missouriensis* Mackenz. & Bush (Solanaceae) new to Louisiana by Charles M. Allen and Karl A. Vincent 367–368
Ptilimnium 129; *capillaceum* 129; *costatum* 129; *nodosum* 129; *nuttallii* 50, 129
Puccinellia distans 56, 360
Puccinellia distans (Jacq.) Parl. (Poaceae): a halophytic grass rapidly spreading in Ohio by Allison W. Cusick 360–363
Quercus × *Bebbiana* 57; *macrocarpa* 315
Ranunculus carolinianus 46; *ficaria* 57; *platensis* 71; *sardous* 27
Ratibida columnifera 74; *tagetes* 52
Relationship between *Digitaria milanji-ana* (Poaceae: Paniceae) and the annual species of *Digitaria* section *Digitaria* in North America by R. D. Webster and R. B. Shaw 333–343
RATANA, ALEJANDRO NOVELO, *Didiplis diandra* (Lythraceae) in southeastern Mexico 182
Rhus aromatica 48
Rhynchospora caduca 314; *microcarpa* 134; *miliacea* 367
Rhynchospora miliacea and *Scirpus divaricatus*, new to Texas by Elray S. Nixon and John R. Ward 367
Richardia brasiliensis 323
Rorippa heterophylla 72; *islandica* 316
Rubus cuneifolius 28
Rudbeckia trilobata 28
Ruellia humilis 51
Rumex hastatulus 315; *spiralis* 315
SAICHUK, JOHN K., *Glyceria declinata* in Louisiana 263
Samolus cuneatus 28
Sanicula canadensis 320
Sapium sebiferum 48
Schinus terebinthifolius 48
Scirpus divaricatus 367; *koilolepis* 44
Selenia jonesii 176
Sesbania vesicaria 318
Sesuvium maritimum 46
Setaria glauca 311
SHAW, R. B., see Webster 333–343
Sida elliottii 49
Silene cserei 57
Silphium perfoliatum 74
Siphonoglossa greggii 322
Sisymbrium loeselii 57
SMITH, EDWIN B., Juvenile and adult leaflet phases in *Aralia spinosa* (Araliaceae) 330–332
SMITH, EDWIN B., New combinations in *Croptilon* (Compositae-Astereae) 59–63
Solanum campechiense 322
Solidago radula 52
Some new distributional records for *Lesquerella lescurii* (Gray) Watson (Brassicaceae), including the first report for Kentucky by Edward W. Chester 235–237
Some notes on *Dicerandra* (Lamiaceae) by Robert Kral 238–262
Sorghastrum 302; **apalachicolense** 303; *elliottii* 304; *nutans* 306; *secundum* 307
Sorghastrum (Poaceae) in Florida by David W. Hall 302–308
Spergularia marina 57
Spermolepis divaricata 320
Sporobolus vaginaeflorus 311
Stachys annua 122; *clingmannii* 118; *crenata* 122; *eplingii* 111; *floridana* 120; *germanica* 122; *hyssopifolia* 108; var. *ambigua* 109; var. *lythroides* 109; *nuttallii* 117; *olympica* 122; *palustris* 122; *tenuifolia* 111; var. *latidens* 116; var. *perlonga* 115
Stachys (Labiatae) in southeastern United States by John B. Nelson 104–123
Strophostyles leiosperma 318
Stylosanthes viscosa 318
Suaeda calceoliformis 57
SULLIVAN, VICTORIA I., *Najas minor* (Najadaceae) in Louisiana 88–89
SUNDELL, ERIC G., see Darwin 70–75
Supplement to flora of the Texas Coastal Bend by F. B. Jones by Steven R. Hill 43–54
Talinum parviflorum 316
Taxonomic notes on new taxa of *Clitoria javitensis* (Leguminosae) and the exclusion of var. *glabra* Sagot by Paul R. Fantz 159–171

- Taxonomic relationships of Texas specimens of *Digitaria ciliaris* and *Digitaria bicornis* (Poaceae) by Robert D. Webster & Stephan L. Hatch 34-42
- TAYLOR, W. CARL, Dr. Demaree and the Palmer *Dryopteris* 287-289
- TAYLOR, R. JOHN and CONSTANCE E. S. TAYLOR, *Phlox pilosa* L. var. **longipilosa** (Waterfall) J. & C. Taylor Comb. Nov. (Polemoniaceae) 182-184
- TAYLOR, R. JOHN and CONSTANCE E. TAYLOR, Plants new to Arkansas, Oklahoma and Texas 25-28
- Tephrosia onobrychoides 318
- Thamnosma texana 318
- Thelesperma ambiguum 325
- THIERET, JOHN, see Cranfill 55-58
- Thirty additions to the vascular flora of Kentucky by Ray Cranfill and John W. Thieret 55-58
- Thryallis angustifolia 318
- Tillandsia recurvata 369
- Tillandsia recurvata* (Bromeliaceae) in Pensacola, Florida—a botanical curiosity by James R. Burkhalter 369-370
- Tradescantia fluminensis 70
- Tragia ramosa 319
- Trifolium amphianthum 47; bejariense 47; pratense 47
- Triodanis coloradoensis 323
- Two *Digitaria* species (Poaceae) new to the new world by Robert D. Webster and Stephan L. Hatch 87-88
- Typha angustifolia 44
- Ungnadia speciosa 319
- Urtica urens 45
- Utricularia gibba 51
- Valerianella stenocarpa 52; texana 181
- Vegetative apomixis ('Vivipary') in *Bouteloua hirsuta* Lag. (Poaceae) by Steven R. Hill 355-357
- Verbena brasiliensis 322
- Verbesina microptera 325
- Vernonia altissima 52; texana 325
- Veronica cymbalaria 186; hederifolia 186; polita 322
- Vicia dasycarpa 47; ludoviciana 47; minutiflora 47
- VINCENT, KARL A., *Lindernia antipoda* (L.) Alston and *Veronica cymbalaria* Bod. (Scrophulariaceae): new to North America; *V. hederifolia* L.: new to Louisiana 185-187
- VINCENT, KARL A., see Allen 367-368
- Viola missouriensis 320
- WARD, J. R., see Nixon 64-69; 367
- WARNOCK, BARTON H., A new three-awn grass from Trans-Pecos, Texas 358-359
- WEBB, DAVID H., see Dennis 19-34
- WEBB, DAVID H. and W. M. DENNIS, Additions to the flora of Tennessee 184-185
- WEBB, DAVID H. and W. M. DENNIS, Distribution and naturalization of *Cyperus brevifolioides* (Cyperaceae) in eastern United States 188-190
- WEBSTER, ROBERT D. and STEPHAN L. HATCH, Taxonomic relationships of Texas specimens of *Digitaria ciliaris* and *Digitaria bicornis* (Poaceae) 34-42
- WEBSTER, ROBERT D., Two *Digitaria* species new to the new world 87-88
- WEBSTER, ROBERT D. and R. B. SHAW, Relationship between *Digitaria milaniana* (Poaceae: Paniceae) and the annual species of *Digitaria* section *Digitaria* in North America 333-343
- WIERSEMA, JOHN D., Distributional records for *Nymphaea lotus* (Nymphaeaceae) in the western hemisphere 230-234
- Willkommia texana 314
- Wolffiella lingulata 314
- WORTHINGTON, RICHARD D., *Chloris submutica* (Poaceae) in Texas 368
- WUNDERLIN, RICHARD P., see Judd 135-138

Barney Lipscomb, Cathy Coats and Dawn Surratt
Herbarium
Southern Methodist University
Dallas, TX 75275